



Copy personal data between Intel-based and ARM-based virtual machines

- Parallels Desktop for Mac Pro Edition
- Parallels Desktop for Mac Standard Edition
- Parallels Desktop for Mac Business Edition

Question

An Intel-based virtual machine (VM) cannot be started on a new Mac with Apple M-Series chips because it is not compatible with Mac computers equipped with the Apple M-Series chip. The same applies to a VM created on a Mac with Apple M-Series chip that cannot be started on a Mac with an Intel processor. How to copy the data from this VM?

Information

To run a virtual machine on a new Mac with the Apple M-Series chip, the Parallels Engineering team created a new virtualization engine that uses the Apple M-Series chip hardware-assisted virtualization and can run ARM-based OS in a virtual machine.

As a result, a new ARM-based virtual machine must be created. More information can be found in [KB 125343](#).

Transfer data from an Intel-based VM to an ARM-based VM

For Windows x86 VM

1. Click the **Parallels icon** (||) on the top menu bar > **Control Center**.
2. Right-click the virtual machine > select **Show Hard Disk Contents...**

3. A new Finder window will be opened with contents stored on the virtual hard drive:

4. Select the required disk where your data is stored.

5. Copy the data and paste it to a folder on a Mac (you can share it with the ARM-based virtual machine later) or to an external drive:

6. Once you finish copying the data, eject the disks from Finder:

For Linux x86 VM

1. Create a new Linux virtual machine or download one from the list of free systems in Parallels Desktop wizard.

2. Once a virtual machine is created, shut it down (Actions > Shut Down) and open its configuration > **Hardware**.

3. Click + button on the bottom and select **Hard disk**:

4. Select **Existing image file** as a type and add a path to the hard drive of the x86 virtual machine. As a result, the hard drive of the old virtual machine will be added to the new virtual machine as a second one.

5. Start the virtual machine and copy the required data from the attached hard disk of the old x86 virtual machine.

6. Once you finish copying the data, shut down the virtual machine, open the virtual machine configuration, select **Hard Disk 2** and click the - button to remove the old hard disk.

For macOS x86 VM

Unfortunately, it's not possible to copy the data from a macOS x86 virtual machine on Mac with M-Series chip. However, you can open your macOS x86 virtual machine on an Intel-based Mac to get access to the data stored inside the VM.

Transfer data from an ARM-based VM to an Intel-based VM

To transfer the data from a virtual machine created on a Mac with Apple M-Series chip to a virtual machine running on a Mac with an Intel processor, perform the following steps:

1. Start the ARM-based virtual machine on your Mac with Apple M-Series Chip.

2. Copy the data from the virtual machine to an external storage driver or upload it to cloud storage.
 3. Start an existing Intel-based virtual machine on your Mac with an Intel processor. If you don't have such a VM, create a new one as per [KB 4729](#).
 4. Paste the copied data to the new virtual machine.
-

© 2024 Parallels International GmbH. All rights reserved. Parallels, the Parallels logo and Parallels Desktop are registered trademarks of Parallels International GmbH. All other product and company names and logos are the trademarks or registered trademarks of their respective owners.